

5.4. Extreme measures

5.4.0. Overview

There are two further rules for the conditional that reflect its truth table in very direct ways.

5.4.1. Last resorts

We do not always have the opportunity to exploit a conditional by detachment, so we need means to exploit one in a *reductio*.

5.4.2. Optional extras

The principle of weakening for the conditional provides the basis for an attachment rule that is occasionally useful.

Glen Helman 09 Oct 2004

5.4.1. Last resorts

The detachment rules for the conditional—and especially MPP—will be the ways of exploiting conditional resources that you will use the most. However, they cannot cover all cases because both require the presence of a second premise as an available resource. So we need a fully general way of taking account of conditional resources.

Since any open gap will eventually turn into a *reductio* argument, it is enough that we have a way of exploiting conditionals in such arguments. An entailment

$$\Gamma, \phi \rightarrow \psi \Rightarrow \perp$$

says that $\phi \rightarrow \psi$ is inconsistent with Γ , and it will hold if and only if ϕ is false in every possible world in which all members of Γ are true. But the conditional $\phi \rightarrow \psi$ is false only when ψ is false while ϕ is true. So the displayed entailment says that in any world in which all members of Γ are true, we will find ϕ true and ψ false. But that tells us both that ϕ is entailed by Γ and that ψ is inconsistent with it. This way of describing the requirements for the validity a *reductio* with a conditional premise is our **law for the conditional as a premise**:

$$\Gamma, \phi \rightarrow \psi \Rightarrow \perp \text{ if and only if both } \Gamma \Rightarrow \phi \text{ and } \Gamma, \psi \Rightarrow \perp.$$

That is, a conditional $\phi \rightarrow \psi$ is excluded by a set Γ if and only if its antecedent ϕ is entailed by Γ and its consequent ψ is excluded by Γ .

In terms of the metaphor of inference tickets, the first law says that we can get to an absurd conclusion given Γ and the ticket $\phi \rightarrow \psi$ if and only if Γ will get us to ϕ , the point of departure on our ticket, and then from its destination, ψ , on to the absurd conclusion. The “if” part of this holds also for conclusions that are not absurd, but the “only if” part does not. In particular, the fact that $\Gamma, \phi \rightarrow \psi \Rightarrow \chi$ does not insure that $\Gamma \Rightarrow \phi$ when χ is not absurd. We may be able to get to χ given Γ and the ticket $\phi \rightarrow \psi$ without being able to get there via ϕ .

We will call the rule based on this principle, **Rejecting a Conditional (RC)**. It is shown in Figure 5.4.1-2.






Fig. 5.4.1-2. Developing a *reductio* derivation at stage n by exploiting a conditional.

When we apply RC, we divide the gap into two, with the aim of showing that the antecedent of the conditional is entailed by our other resources and that its consequent is inconsistent with them. This is what is required to show that the conditional itself is inconsistent with our other resources, which is why we say that our aim is to **reject** the conditional. While this way of thinking about the rule is the most appropriate one given its place in the system of derivations, it can be thought of as a way of planning to use an inference ticket $\phi \rightarrow \psi$ by planning to reach the point of departure ϕ and planning to get from the destination ψ to the goal \perp . From this point of view, we use the ticket to take us from the goal of the first of these open gaps to the assumption of the second.

Although MPP and MTT are more central to the deductive inference for the conditional than are MTP and MPT to inferences involving disjunction, negation, and conjunction, all detachment rules are dispensable. One role of RC is to exploit conditionals when detachment rules are not used, and one of the simplest example of its use is the following derivation which establishes the validity of *modus ponens* without use of MPP or MTT:



A more typical use of RC is a case we never have the second premise required in order to apply MPP or MTT, as in the following derivation, which shows that the conditional does not obey a commutative principle:



$$\frac{A \ B \ | \ A \rightarrow B \ / \ B \rightarrow A}{F \ T \ | \ \textcircled{T} \ \textcircled{F}}$$

And, as is the case in this example, RC will serve us as a last resort for exploiting conditional resources before reaching a dead end in a derivation that fails.

Glen Helman 09 Oct 2004

5.4.2. Optional extras

The law for the conditional as a premise directly reflects the conditions under which a conditional is false. The two weakening principles for the conditional that were noted in 5.3.2 directly reflect the two cases under which a conditional is true—when its consequent is true and when its antecedent is false.

$$\frac{\psi}{\phi \Rightarrow \phi \rightarrow \psi}$$

However, while the rule CR implementing the law for the conditional as a premise is vital if our set of rules is sufficient, the rule that implements these weakening principles is optional like all attachment rules and is probably the least important of them.




Fig. 5.4.2-1. Developing a derivation at stage n by adding an inactive conditional whose consequent is available.





Fig. 5.4.2-2. Developing a derivation at stage n by adding an inactive conditional whose antecedent is barred by an available resource.

Much of the value of attachment rules lies in their use to assemble the auxiliary resource required to apply detachment rules. And, in natural arguments, the auxiliary resources of detachment rules are less often conditionals than the other forms of sentence we can conclude by attachment rules. So we must look elsewhere for natural examples of the use of weakening for the conditional. As one example, consider the

entailment $\neg A \vee B \Rightarrow A \rightarrow B$. This can be established quickly by the use of CP and MTP, but if instead the disjunction is exploited to plan for a proof by cases, Wk for the conditional provides the most natural way to complete the case arguments.



A derivation showing that $\neg(A \rightarrow B) \Rightarrow A \wedge \neg B$ provides a similar example of the use of these rules.

Glen Helman 09 Oct 2004

5.4.s. Summary

The law for the conditional as a premise applies only to *reductio* arguments and provides a way of rejecting a conditional by deriving its antecedent ϕ from the premises and reducing its consequent to absurdity given the premises. The corresponding derivation rule is **Rejecting a Conditional (RC)**.

This rule reflects the fact that a conditional is false when its antecedent is true and its consequent is false. The rules of **Weakening (Wk)** that have conditionals as conclusions reflect the fact that a conditional is true if its consequent is and also if its antecedent is false.

With these rules, the system of derivations for truth-functional logic is complete. It consists of the fundamental rules for developing gaps by exploiting resources or planning for goals, two rules each for negations, conjunctions, disjunctions, and conditionals along with a rule to plan for atomic sentences. There are the same four rules for closing gaps we had as of 3.2, and we now also have a set of four detachment rules that provide alternative ways of exploiting weak truth-functional compounds. These rules form the basic system; and all are progressive. In addition, there is a group of rules that are not necessarily progressive although they are sound and safe—the attachment rules and the general rule LFR for introducing lemmas in *reductio* arguments.

Rules for developing gaps		
	for resources	for goals
atomic sentence		IP
negation $\neg \phi$	CR (if ϕ is not atomic and the goal is \perp)	RAA
conjunction $\phi \wedge \psi$	Ext	Cnj
disjunction $\phi \vee \psi$	PC	PE
conditional $\phi \rightarrow \psi$	RC (if the goal is \perp)	CP

Detachment rules (optional)		
main resource	auxiliary resource	rule
$\phi \rightarrow \psi$	ϕ	MPP
	$\bar{\psi}$	MTT
$\phi \vee \psi$	$\bar{\phi}$ or $\bar{\psi}$	MTP
$\neg(\phi \wedge \psi)$	ϕ or ψ	MPT

Rules for closing gaps	
when to close	rule
the goal is also a resource	QED
sentences ϕ and $\neg \phi$ are resources & the goal is \perp	Nc
\top is the goal	ENV
\perp is a resource	EFQ

Attachment rules	
added resource	rule
$\phi \wedge \psi$	Adj
$\phi \rightarrow \psi$	Wk
$\phi \vee \psi$	Wk
$\neg(\phi \wedge \psi)$	Wk
Rule for lemmas	
prerequisite	rule
the goal is \perp	LFR

Basic system

Added rules (optional)

As in the earlier tables of this form, the names of the rules are links to places where they are actually stated.

Glen Helman 09 Oct 2004

5.4.x. Exercise questions

- Use derivations to check each of the claims below; if a derivation indicates that a claim fails, present a counterexample that divides an open gap. Since **d** is a claim of tautologousness, it is established by a derivation that begins with only a goal and no initial premises.
 - $A \rightarrow B \Leftrightarrow \neg A \vee B$
 - $(A \wedge B) \rightarrow C \Leftrightarrow A \rightarrow C$
 - $(A \rightarrow B) \wedge (B \rightarrow C) \Leftrightarrow A \rightarrow C$
 - $\Rightarrow ((A \rightarrow B) \rightarrow A) \rightarrow A$
- Construct derivations for each of the following. These exercises are designed to make attachment rules often useful. The derivations can be constructed for the English sentences in **e-g** without first analyzing them since you generally need to recognize only the main connective and the immediate connectives in order to know what rules apply; however, the abbreviated notation provided by an analysis may be more convenient.
 - $(A \wedge B) \rightarrow C, (C \vee D) \rightarrow E, A, B \Rightarrow E$
 - $(A \vee \neg B) \rightarrow C \Rightarrow \neg C \rightarrow B$
 - $\neg(A \wedge B), B \vee C, D \rightarrow \neg C \Rightarrow A \rightarrow \neg D$
 - $C \rightarrow \neg(A \vee B), E \vee \neg(D \wedge \neg C), D \Rightarrow A \rightarrow E$
 - Tom will go through Chicago and visit Sue*
Tom won't go through both Chicago and Indianapolis
Tom won't visit Ursula without going through Indianapolis
Tom will visit Sue but not Ursula
 - Either we spend a bundle on television or we won't have wide public exposure*
If we spend a bundle on television, we'll go into debt
Either we have wide public exposure or our contributions will dry up
We'll go into debt if our contributions dry up and we don't have large reserves
We won't have large reserves

We'll go into debt
 - If Adams supports the plan, it will go through provided Brown doesn't oppose it*
Brown won't oppose the plan if either Collins or Davis supports it

The plan will go through if both Adams and Davis support it

Glen Helman 01 Aug 2004

5.4.xa. Exercise answers

1. a.

$A \rightarrow B$	2
A	(2)
B	(3)
•	
B	1
$\neg A \vee B$	

2 MPP

3 QED

1 PE

$\neg A \vee B$	2
A	(2)
B	(3)
•	
B	1
$A \rightarrow B$	

2 MTP

3 QED

1 CP

b.

$(A \wedge B) \rightarrow C$	3
A	(4)
$\neg C$	(3)
$\neg(A \wedge B)$	4
$\neg B$	
○	$A, \neg C, \neg B \Rightarrow \perp$
\perp	2
C	1
$A \rightarrow C$	

3 MTT

4 MPT

2 IP

1 CP

$A \rightarrow C$	3
$A \wedge B$	2
A	(3)
B	(3)
C	(4)
•	
C	1
$(A \wedge B) \rightarrow C$	

2 Ext

2 Ext

3 MPP

4 QED

1 CP

c.

$A \rightarrow C$	3,7
A	(3)
C	
$\neg B$	
○	$A, C, \neg B \Rightarrow \perp$
\perp	4
B	2
$A \rightarrow B$	1
B	
$\neg C$	(7)
$\neg A$	
○	$B, \neg C, \neg A \Rightarrow \perp$
\perp	6
C	5
$B \rightarrow C$	1
$(A \rightarrow B) \wedge (B \rightarrow C)$	

3 MPP

4 IP

2 CP

7 MTT

6 IP

5 CP

1 Cnj

$(A \rightarrow B) \wedge (B \rightarrow C)$	1
$A \rightarrow B$	3
$B \rightarrow C$	4
A	(3)
B	(4)
C	(5)
•	
C	2
$A \rightarrow C$	

1 Ext

1 Ext

3 MPP

4 MPP

5 QED

2 CP

d.

A	(1)
B	(1)
$A \wedge B$	X,(2)
C	(3)
$C \vee D$	X,(4)
E	(5)
•	
E	

1 Adj

2 MPP

3 Wk

4 MPP

5 QED

b.

$(A \vee \neg B) \rightarrow C$	2
$\neg C$	(2)
$\neg(A \vee \neg B)$	(5)
$\neg B$	(4)
$A \vee \neg B$	X,(5)
•	
\perp	3
B	1
$\neg C \rightarrow B$	

2 MTT

4 Wk

5 Nc

3 IP

1 CP

$(A \rightarrow B) \rightarrow A$	3
$\neg A$	(3),(7)
$\neg(A \rightarrow B)$	
A	(7)
$\neg B$	
•	
\perp	6
B	5
$A \rightarrow B$	4
\perp	2
A	1
$((A \rightarrow B) \rightarrow A) \rightarrow A$	

3 MTT

7 Nc

6 IP

5 CP

4 CR

2 IP

1 CP

$(A \rightarrow B) \rightarrow A$	4
$\neg A$	(3),(5)
$A \rightarrow B$	X,(4)
A	(5)
•	
\perp	2
A	1
$((A \rightarrow B) \rightarrow A) \rightarrow A$	

3 Wk

4 MPP

5 Nc

2 IP

1 CP

d. The following are two approaches to this derivation, one without use of attachment rules and the other using one of the forms of Wk for the conditional.

2. a.

$(A \wedge B) \rightarrow C$	2
$(C \vee D) \rightarrow E$	4
A	(1)
B	(1)
$A \wedge B$	X,(2)
C	(3)
$C \vee D$	X,(4)
E	(5)
•	
E	

1 Adj

2 MPP

3 Wk

4 MPP

5 QED

b.

$(A \vee \neg B) \rightarrow C$	2
$\neg C$	(2)
$\neg(A \vee \neg B)$	(5)
$\neg B$	(4)
$A \vee \neg B$	X,(5)
•	
\perp	3
B	1
$\neg C \rightarrow B$	

2 MTT

4 Wk

5 Nc

3 IP

1 CP

c.

	$\neg (A \wedge B)$	2
	$B \vee C$	3
	$D \rightarrow \neg C$	

	A	(2)
2 MPT	$\neg B$	(3)
3 MTP	C	(4)
4 MTT	$\neg D$	(5)

	•	

5 QED	$\neg D$	1

1 CP	$A \rightarrow \neg D$	

d.

	$C \rightarrow \neg (A \vee B)$	3
	$E \vee \neg (D \wedge \neg C)$	5
	D	(4)

	A	(2)
2 Wk	$A \vee B$	X,(3)
3 MTT	$\neg C$	(4)
4 Adj	$D \wedge \neg C$	X,(5)
5 MTP	E	(6)

	•	

6 QED	E	1

1 CP	$A \rightarrow E$	

e.

	Tom will go through Chicago and visit Sue	1
	Tom won't go through both Chicago and Indianapolis	2
	Tom won't visit Ursula without going through Indianapolis	3

1 Ext	Tom will go through Chicago	(2)
1 Ext	Tom will visit Sue	(4)
2 MPT	Tom won't go through Indianapolis	(3)
3 MPT	Tom won't visit Ursula	(4)
4 Adj	Tom will visit Sue but not Ursula	X,(5)

	•	

5 QED	Tom will visit Sue but not Ursula	

f.

	Either we spend a bundle on television or we won't have wide public exposure	1
	If we spend a bundle on television, we'll go into debt	2
	Either we have wide public exposure or our contributions will dry up	4
	We'll go into debt if our contributions dry up and we don't have large reserves	6
	We won't have large reserves	(5)

	We'll spend a bundle on television	(2)

2 MPP	We'll go into debt	(3)

	•	

3 QED	We'll go into debt	1

	We won't have wide public exposure	(4)

4 MTP	Our contributions will dry up	(5)
5 Adj	Our contributions dry up and we won't have large reserves	X,(6)
6 MPP	We'll go into debt	(7)

	•	

7 QED	We'll go into debt	1

1 PC	We'll go into debt	

g.

	If Adams supports the plan, it will go though provided Brown doesn't oppose it	3
	Brown won't oppose the plan if either Collins or Davis supports it	5

	Both Adams and Davis will support the plan	2

2 Ext	Adams will support the plan	(3)
2 Ext	Davis will support the plan	(4)
3 MPP	The plan will go though provided Brown doesn't oppose it	6
4 Wk	Either Collins or Davis will support the plan	X,(5)
5 MPP	Brown won't oppose the plan	(6)
6 MPP	The plan will go through	(7)

	•	

7 QED	The plan will go through	1

1 CP	The plan will go through if both Adams and Davis support it	