

# Appendices

## Appendix A. Reference

### A.0. Overview

#### A.1. Basic concepts

Definitions of entailment and related ideas

#### A.2. Logical forms

Forms expressed using one or more logical constants together with symbolic and English notation or readings

#### A.3. Truth tables

Tables that stipulate the meaning of the constants of truth-functional logic

#### A.4. Derivation rules

A guide to the use of derivation rules with links to the rules themselves

Glen Helman 03 Aug 2010

## A.1. Basic concepts

<i>Concept</i>	<i>Negative definition</i>	<i>Positive definition</i>
$\varphi$ is <i>entailed</i> by $\Gamma$ $\Gamma \models \varphi$	There is no logically possible world in which $\varphi$ is false while all members of $\Gamma$ are true.	$\varphi$ is true in every logically possible world in which all members of $\Gamma$ are true.
$\varphi$ and $\psi$ are <i>(logically) equivalent</i> $\varphi \simeq \psi$	There is no logically possible world in which $\varphi$ and $\psi$ have different truth values.	$\varphi$ and $\psi$ have the same truth value as each other in every logically possible world.
$\varphi$ is a <i>tautology</i> $\models \varphi$ (or $\top \models \varphi$ )	There is no logically possible world in which $\varphi$ is false.	$\varphi$ is true in every logically possible world.
$\varphi$ is <i>inconsistent with</i> $\Gamma$ $\Gamma, \varphi \models$ (or $\Gamma, \varphi \models \perp$ )	There is no logically possible world in which $\varphi$ is true while all members of $\Gamma$ are true.	$\varphi$ is false in every logically possible world in which all members of $\Gamma$ are true.
$\Gamma$ is <i>inconsistent</i> $\Gamma \models$ (or $\Gamma \models \perp$ )	There is no logically possible world in which all members of $\Gamma$ are true.	In every logically possible world, at least one member of $\Gamma$ is false.
$\varphi$ is <i>absurd</i> $\varphi \models$ (or $\varphi \models \perp$ )	There is no logically possible world in which $\varphi$ is true.	$\varphi$ is false in every logically possible world.
$\Sigma$ is <i>rendered exhaustive</i> by $\Gamma$ $\Gamma \models \Sigma$	There is no logically possible world in which all members of $\Sigma$ are false while all members of $\Gamma$ are true.	At least one member of $\Sigma$ is true in each logically possible world in which all members of $\Gamma$ are true.

## A.2. Logical forms

*Forms for which there is symbolic notation*

	<i>Symbolic notation</i>	<i>English notation or English reading</i>	
Negation	$\neg \varphi$	not $\varphi$	
Conjunction	$\varphi \wedge \psi$	both $\varphi$ and $\psi$	( $\varphi$ and $\psi$ )
Disjunction	$\varphi \vee \psi$	either $\varphi$ or $\psi$	( $\varphi$ or $\psi$ )
The conditional	$\varphi \rightarrow \psi$	if $\varphi$ then $\psi$	( $\varphi$ implies $\psi$ )
	$\psi \leftarrow \varphi$	yes $\psi$ if $\varphi$	( $\psi$ if $\varphi$ )
Identity	$\tau = \upsilon$	$\tau$ is $\upsilon$	
Predication	$\theta \tau_1 \dots \tau_n$	$\theta$ fits $\tau_1, \dots, \tau_n$	A series of terms $\tau_1, \dots, \tau_n$ can be read (series) $\tau_1, \dots, \tau_n$ <b>on</b>
Compound term	$\gamma \tau_1 \dots \tau_n$	$\gamma$ of $\tau_1, \dots, \tau_n$ $\gamma$ applied to $\tau_1, \dots, \tau_n$	$\tau_n$ (using the expression <b>on</b> to distinguish this use of <b>and</b> from its use in conjunction and adding <b>series</b> when necessary to avoid ambiguity)
Predicate abstract	$[\varphi]_{x_1 \dots x_n}$	what $\varphi$ says of $x_1 \dots x_n$	
Functor abstract	$[\tau]_{x_1 \dots x_n}$	$\tau$ for $x_1 \dots x_n$	
Universal quantification	$\forall x \theta x$	forall $x$ $\theta x$ everything, $x$ , is such that $\theta x$	
Restricted universal	$(\forall x: \rho x) \theta x$	forall $x$ st $\rho x$ $\theta x$ everything, $x$ , such that $\rho x$ is such that $\theta x$	
Existential quantification	$\exists x \theta x$	forsome $x$ $\theta x$ something, $x$ , is such that $\theta x$	
Restricted existential	$(\exists x: \rho x) \theta x$	forsome $x$ st $\rho x$ $\theta x$ something, $x$ , such that $\rho x$ is such that $\theta x$	
Definite description	$!x \rho x$	the $x$ st $\rho x$ the thing, $x$ , such that $\rho x$	

## Some paraphrases of other forms

### Truth-functional compounds

neither $\varphi$ nor $\psi$	$\neg (\varphi \vee \psi)$ $\neg \varphi \wedge \neg \psi$
$\psi$ only if $\varphi$	$\neg \psi \leftarrow \neg \varphi$
$\psi$ unless $\varphi$	$\psi \leftarrow \neg \varphi$

### Generalizations

All Cs are such that ( ... they ... )	$(\forall x: x \text{ is a } C) \dots x \dots$
No Cs are such that ( ... they ... )	$(\forall x: x \text{ is a } C) \neg \dots x \dots$
Only Cs are such that ( ... they ... )	$(\forall x: \neg x \text{ is a } C) \neg \dots x \dots$
with: among Bs	add to the restriction: $x \text{ is a } B$
except Es	$\neg x \text{ is an } E$
other than $\tau$	$\neg x = \tau$

### Numerical quantifier phrases

At least 1 C is such that ( ... it ... )	$(\exists x: x \text{ is a } C) \dots x \dots$
At least 2 Cs are such that ( ... they ... )	$(\exists x: x \text{ is a } C) (\exists y: y \text{ is a } C \wedge \neg y = x) (\dots x \dots \wedge \dots y \dots)$
Exactly 1 C is such that ( ... it ... )	$(\exists x: x \text{ is a } C) (\dots x \dots \wedge (\forall y: y \text{ is a } C \wedge \neg y = x) \neg \dots y \dots)$ or $(\exists x: x \text{ is a } C) (\dots x \dots \wedge (\forall y: y \text{ is a } C \wedge \dots y \dots) x = y)$

### Definite descriptions (on Russell's analysis)

The C is such that ( ... it ... )	$(\exists x: x \text{ is a } C \wedge (\forall y: \neg y = x) \neg y \text{ is a } C) \dots x \dots$ or $(\exists x: x \text{ is a } C \wedge (\forall y: y \text{ is a } C) x = y) \dots x \dots$
-----------------------------------	--

### A.3. Truth tables

<i>Tautology</i>	<i>Absurdity</i>	<i>Negation</i>
$\frac{\top}{\top}$	$\frac{\perp}{\text{F}}$	$\frac{\phi}{\top} \mid \frac{\neg \phi}{\text{F}}$
		$\text{F} \mid \top$

<i>Conjunction</i>	<i>Disjunction</i>	<i>Conditional</i>
$\frac{\phi \ \psi}{\top \ \top} \mid \frac{\phi \wedge \psi}{\text{T}}$	$\frac{\phi \ \psi}{\top \ \top} \mid \frac{\phi \vee \psi}{\text{T}}$	$\frac{\phi \ \psi}{\top \ \top} \mid \frac{\phi \rightarrow \psi}{\text{T}}$
$\text{T} \ \text{F} \mid \text{F}$	$\text{T} \ \text{F} \mid \text{T}$	$\text{T} \ \text{F} \mid \text{F}$
$\text{F} \ \text{T} \mid \text{F}$	$\text{F} \ \text{T} \mid \text{T}$	$\text{F} \ \text{T} \mid \text{T}$
$\text{F} \ \text{F} \mid \text{F}$	$\text{F} \ \text{F} \mid \text{F}$	$\text{F} \ \text{F} \mid \text{T}$

Glen Helman 03 Aug 2010

## A.4. Derivation rules

### Basic system

Rules for developing gaps		
	for resources	for goals
atomic sentence		IP
negation $\neg \varphi$	CR (if $\varphi$ not atomic & goal is $\perp$ )	RAA
conjunction $\varphi \wedge \psi$	Ext	Cnj
disjunction $\varphi \vee \psi$	PC	PE
conditional $\varphi \rightarrow \psi$	RC (if goal is $\perp$ )	CP
universal $\forall x \theta x$	UI	UG
existential $\exists x \theta x$	PCh	NcP

Rules for closing gaps			
when to close			rule
co-aliases	resources	goal	
	$\varphi$	$\varphi$	QED
	$\varphi$ and $\neg \varphi$	$\perp$	Nc
		$\top$	ENV
	$\perp$		EFQ
$\tau = \upsilon$		$\tau = \upsilon$	EC
$\tau = \upsilon$	$\neg \tau = \upsilon$	$\perp$	DC
$\tau_1 = \upsilon_1, \dots, \tau_n = \upsilon_n$	$P\tau_1 \dots \tau_n$	$P\upsilon_1 \dots \upsilon_n$	QED=
$\tau_1 = \upsilon_1, \dots, \tau_n = \upsilon_n$	$P\tau_1 \dots \tau_n$	$\neg P\upsilon_1 \dots \upsilon_n$	Nc=

Detachment rules (optional)		
required resources		rule
main	auxiliary	

$\varphi \rightarrow \psi$	$\varphi$	MPP
	$\neg^\pm \psi$	MTT
$\varphi \vee \psi$	$\neg^\pm \varphi$ or $\neg^\pm \psi$	MTP
$\neg(\varphi \wedge \psi)$	$\varphi$ or $\psi$	MPT

In addition, if the conditions for applying a rule are met except for differences between co-aliases, then the rule can be applied and is notated by adding "="; QED= and Nc= are examples of this.

### Additional rules (not guaranteed to be progressive)


Attachment rules	
added resource	rule
$\varphi \wedge \psi$	Adj
$\varphi \rightarrow \psi$	Wk
$\varphi \vee \psi$	Wk
$\neg(\varphi \wedge \psi)$	Wk
$\tau = \upsilon$	CE
$\theta \upsilon_1 \dots \upsilon_n$	Cng
$\exists x \theta x$	EG

Rule for lemmas	
prerequisite	rule
the goal is $\perp$	LFR


# Diagrams

Rules from chapter 2


Extraction (Ext)




Conjunction (Cnj)




*Quod Erat Demonstrandum* (QED)




*Ex Nihilo Verum* (ENV)



*Ex Falso Quodlibet* (EFQ)




Adjunction (Adj)






Lemma for *Reductio* (LFR)




Rules from chapter 3


Indirect Proof (IP)




Completing the *Reductio* (CR)



*Reductio ad Absurdum (RAA)*




*Non-contradiction (Nc)*




*Rules from chapter 4*


*Proof by Cases (PC)*



*Proof of Exhaustion (PE)*



*Modus Tollendo Ponens (MTP)*



*Modus Ponendo Tollens (MPT)*

$$\begin{array}{c}
 \left| \begin{array}{l}
 \varphi \text{ [available]} \\
 \dots \\
 \neg (\varphi \wedge \psi) \\
 \dots \\
 \dots \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}
 \rightarrow
 \begin{array}{c}
 n \text{ MPT}
 \end{array}
 \begin{array}{c}
 \left| \begin{array}{l}
 \varphi \quad (n) \\
 \dots \\
 \neg (\varphi \wedge \psi) \quad n \\
 \dots \\
 \dots \\
 \hline
 \neg^{\pm} \psi \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}$$


$$\begin{array}{c}
 \left| \begin{array}{l}
 \psi \text{ [available]} \\
 \dots \\
 \neg (\varphi \wedge \psi) \\
 \dots \\
 \dots \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}
 \rightarrow
 \begin{array}{c}
 n \text{ MPT}
 \end{array}
 \begin{array}{c}
 \left| \begin{array}{l}
 \psi \quad (n) \\
 \dots \\
 \neg (\varphi \wedge \psi) \quad n \\
 \dots \\
 \dots \\
 \hline
 \neg^{\pm} \varphi \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}$$

*Weakening (Wk)*

$$\begin{array}{c}
 \left| \begin{array}{l}
 \dots \\
 \varphi \text{ [available]} \\
 \dots \\
 \dots \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}
 \rightarrow
 \begin{array}{c}
 n \text{ Wk}
 \end{array}
 \begin{array}{c}
 \left| \begin{array}{l}
 \dots \\
 \varphi \quad (n) \\
 \dots \\
 \dots \\
 \hline
 \varphi \vee \psi \quad X \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}$$


$$\begin{array}{c}
 \left| \begin{array}{l}
 \dots \\
 \psi \text{ [available]} \\
 \dots \\
 \dots \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}
 \rightarrow
 \begin{array}{c}
 n \text{ Wk}
 \end{array}
 \begin{array}{c}
 \left| \begin{array}{l}
 \dots \\
 \psi \quad (n) \\
 \dots \\
 \dots \\
 \hline
 \varphi \vee \psi \quad X \\
 \hline
 \theta \\
 \dots
 \end{array} \right.
 \end{array}$$

### Weakening (Wk)




*Rules from chapter 5*


### Rejecting a Conditional (RC)




Conditional Proof (CP)



*Modus Ponendo Ponens* (MPP)



*Modus Tollendo Tollens* (MTT)



### Weakening (Wk)

$$\left| \begin{array}{c} \psi \text{ [available]} \\ \dots \\ \vdots \\ \hline \theta \\ \dots \end{array} \right. \longrightarrow n \text{ Wk} \left| \begin{array}{c} \psi \quad (n) \\ \dots \\ \vdots \\ \phi \rightarrow \psi \quad X \\ \hline \theta \\ \dots \end{array} \right.$$

### Weakening (Wk)

$$\left| \begin{array}{c} \neg^\pm \phi \text{ [available]} \\ \dots \\ \vdots \\ \hline \theta \\ \dots \end{array} \right. \longrightarrow n \text{ Wk} \left| \begin{array}{c} \neg^\pm \phi \quad (n) \\ \dots \\ \vdots \\ \phi \rightarrow \psi \quad X \\ \hline \theta \\ \dots \end{array} \right.$$

*Rules from chapter 6*

### Equated Co-aliases (EC)

$$\left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \text{ are co-aliases}] \\ \dots \\ \vdots \\ \hline \tau = \upsilon \\ \dots \end{array} \right. \longrightarrow n \text{ EC} \left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \text{ are co-aliases}] \\ \dots \\ \bullet \\ \hline \tau = \upsilon \\ \dots \end{array} \right.$$

### Distinguished Co-aliases (DC)

$$\left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \\ \text{are co-aliases}] \\ \dots \\ \neg \tau = \upsilon \\ \dots \\ \vdots \\ \hline \perp \\ \dots \end{array} \right. \longrightarrow n \text{ DC} \left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \\ \text{are co-aliases}] \\ \dots \\ \neg \tau = \upsilon \quad (n) \\ \dots \\ \bullet \\ \hline \perp \\ \dots \end{array} \right.$$

### QED given equations (QED=)

$$\left( \begin{array}{l} \dots \\ [\tau_1 \dots \tau_n \text{ and} \\ v_1 \dots v_n \text{ are} \\ \text{co-alias series}] \\ \dots \\ P\tau_1 \dots \tau_n \\ \dots \\ \vdots \\ \dots \\ \vdots \\ \vdots \\ P v_1 \dots v_n \\ \dots \end{array} \right) \rightarrow \left( \begin{array}{l} \dots \\ [\tau_1 \dots \tau_n \text{ and} \\ v_1 \dots v_n \text{ are} \\ \text{co-alias series}] \\ \dots \\ P\tau_1 \dots \tau_n \quad (n) \\ \dots \\ \vdots \\ \dots \\ \bullet \\ \vdots \\ P v_1 \dots v_n \\ \dots \end{array} \right)$$

$n \text{ QED=}$

*Note:* Two series of terms are co-alias series when their corresponding members are co-aliases.

### Non-contradiction given equations (Nc=)

$$\left( \begin{array}{l} \dots \\ [\tau_1 \dots \tau_n \text{ and } v_1 \dots v_n \\ \text{are co-alias series}] \\ \dots \\ \neg P\tau_1 \dots \tau_n \\ \dots \\ P v_1 \dots v_n \\ \dots \\ \vdots \\ \dots \\ \vdots \\ \vdots \\ \perp \\ \dots \end{array} \right) \rightarrow \left( \begin{array}{l} \dots \\ [\tau_1 \dots \tau_n \text{ and } v_1 \dots v_n \\ \text{are co-alias series}] \\ \dots \\ \neg P\tau_1 \dots \tau_n \quad (n) \\ \dots \\ P v_1 \dots v_n \quad (n) \\ \dots \\ \vdots \\ \dots \\ \bullet \\ \vdots \\ \perp \\ \dots \end{array} \right)$$

$n \text{ Nc=}$

*Note:* Two series of terms are co-alias series when their corresponding members are co-aliases.


### Co-alias Equation (CE)

$$\left( \begin{array}{l} \dots \\ [\tau \text{ and } v \\ \text{are co-aliases}] \\ \dots \\ \vdots \\ \dots \\ \vdots \\ \vdots \\ \varphi \\ \dots \end{array} \right) \rightarrow \left( \begin{array}{l} \dots \\ [\tau \text{ and } v \\ \text{are co-aliases}] \\ \dots \\ \dots \\ \dots \\ \tau = v \quad X \\ \dots \\ \vdots \\ \vdots \\ \varphi \\ \dots \end{array} \right)$$

$n \text{ CE}$




### Congruence (Cng)




*Note:*  $\theta$  can be an abstract, so  $\theta \tau_1 \dots \tau_n$  and  $\theta v_1 \dots v_n$  are any formulas that differ only in the occurrence of terms and in which the corresponding terms are co-aliases.

### *Rules from chapter 7*

#### Universal Instantiation (UI)




#### Universal Generalization (UG)




Rules from chapter 8


Proof by Choice (PCh)



Non-constructive Proof (NcP)



Existential Generalization (EG)



## Appendix B. Laws for conditional exhaustiveness

### Atomic sentences

The first of the following laws is stated only for unanalyzed sentences because laws of the same form for equations and other predications are special cases of the second and third laws:

$$\Gamma, A \vDash A, \Sigma$$

$$\Gamma \vDash \tau = \upsilon, \Sigma \text{ (where } \tau \text{ and } \upsilon \text{ are co-aliases given the equations in } \Gamma \text{)}$$

$$\Gamma, P\tau_1 \dots \tau_n \vDash P\upsilon_1 \dots \upsilon_n, \Sigma \text{ (where } \tau_i \text{ and } \upsilon_i, \text{ for } i \text{ from 1 to } n, \text{ are co-aliases given the equations in } \Gamma \text{)}$$

### Non-atomic sentences

For each logical constant which forms non-atomic sentences, there are two laws, one for cases where it appears among the assumptions and one for cases where it appears among the alternatives.

Constant	As an assumption	As an alternative
$\top$	$\Gamma, \top \vDash \Sigma$ if and only if $\Gamma \vDash \Sigma$	$\Gamma \vDash \top, \Sigma$
$\perp$	$\Gamma, \perp \vDash \Sigma$	$\Gamma \vDash \perp, \Sigma$ if and only if $\Gamma \vDash \Sigma$
$\neg$	$\Gamma, \neg \phi \vDash \Sigma$ if and only if $\Gamma \vDash \phi, \Sigma$	$\Gamma \vDash \neg \phi, \Sigma$ if and only if $\Gamma, \phi \vDash \Sigma$
$\wedge$	$\Gamma, \phi \wedge \psi \vDash \Sigma$ if and only if $\Gamma, \phi, \psi \vDash \Sigma$	$\Gamma \vDash \phi \wedge \psi, \Sigma$ if and only if both $\Gamma \vDash \phi, \Sigma$ and $\Gamma \vDash \psi, \Sigma$
$\vee$	$\Gamma, \phi \vee \psi \vDash \Sigma$ if and only if both $\Gamma, \phi \vDash \Sigma$ and $\Gamma, \psi \vDash \Sigma$	$\Gamma \vDash \phi \vee \psi, \Sigma$ if and only if $\Gamma \vDash \phi, \psi, \Sigma$
$\rightarrow$	$\Gamma, \phi \rightarrow \psi \vDash \Sigma$ if and only if both $\Gamma \vDash \phi, \Sigma$ and $\Gamma, \psi \vDash \Sigma$	$\Gamma \vDash \phi \rightarrow \psi, \Sigma$ if and only if $\Gamma, \phi \vDash \psi, \Sigma$
$\forall$	$\Gamma, \forall x \theta x \vDash \Sigma$ if and only if $\Gamma, \forall x \theta x, \theta \tau \vDash \Sigma$	$\Gamma \vDash \forall x \theta x, \Sigma$ if and only if $\Gamma \vDash \theta \alpha, \Sigma$
$\exists$	$\Gamma, \exists x \theta x \vDash \Sigma$ if and only if $\Gamma, \theta \alpha \vDash \Sigma$	$\Gamma \vDash \exists x \theta x, \Sigma$ if and only if $\Gamma \vDash \theta \tau, \exists x \theta x, \Sigma$

where  $\tau$  is any term and  $\alpha$  is independent in the sense that it does not appear in  $\theta, \Gamma, \text{ or } \Sigma$