

# **Appendices**

## **Appendix A. Reference**

### **A.0. Overview**

A.1. Definitions and notation for basic concepts

The full range of deductive properties and relations

A.2. Logical forms

Forms expressed using one or more logical constants together with symbolic and English notation or readings

A.3. Truth tables

Tables that stipulate the meaning of the constants of truth-functional logic

A.4. Derivation rules

A guide to the use of derivation rules with links to the rules themselves

Glen Helman 01 Aug 2013

## A.1. Definitions and notation for basic concepts

Most deductive properties or relation concerns a set or some specific number of *assumptions* and a set or some specific number of *alternatives*. When there is only one alternative, it is a *conclusion*. This is shown in the following table, where cells are labeled in boldface by the concept expressed as a noun, with the verbal or adjectival form shown in italics.

		<i>alternatives</i>			
		<i>set</i> $\Sigma$	<i>two</i> $\psi_1, \psi_2$	<i>one</i> ( <i>concl.</i> ) $\psi$	<i>none</i>
<i>assumptions</i>	<i>set</i> $\Gamma$	<b>relative exhaustiveness</b> $\Gamma$ renders $\Sigma$ <i>exhaustive</i>		<b>entailment</b> $\Gamma$ <i>entails</i> $\psi$	<b>inconsistency</b> $\Gamma$ is <i>inconsistent</i>
	<i>two</i> $\phi_1, \phi_2$				<b>mutual exclusiveness</b> $\phi_1$ and $\phi_2$ are <i>mutually exclusive</i>
	<i>one</i> $\phi$			<b>implication</b> $\phi$ <i>implies</i> $\psi$	<b>absurdity</b> $\phi$ is <i>absurd</i>
	<i>none</i>	<b>exhaustiveness</b> $\Sigma$ is <i>exhaustive</i>	<b>(joint) exhaustiveness</b> $\psi_1$ and $\psi_2$ are <i>(jointly) exhaustive</i>	<b>tautologousness</b> $\psi$ is <i>tautologous</i> (or is a <i>tautology</i> )	

Not appearing in the table are two relations that each abbreviate conjunctions of two claims drawn from the ones above.

<i>conjunctive relation</i>	<i>component relations</i>	
<b>(logical) equivalence</b> $\phi$ and $\psi$ are <i>(logically) equivalent</i>	$\phi$ <i>implies</i> $\psi$	$\psi$ <i>implies</i> $\phi$
<b>contradictoriness</b> $\phi$ and $\psi$ are <i>contradictory</i>	$\phi$ and $\psi$ are <i>mutually exclusive</i>	$\phi$ and $\psi$ are <i>jointly exhaustive</i>

There are also two alternative ways of applying the concept of inconsistency:

<i>alternative statements</i> (for assumptions $\Gamma$ and $\phi$ )		
<b>exclusion</b> $\Gamma$ <i>excludes</i> $\phi$	<b>relative inconsistency</b> $\phi$ is <i>inconsistent</i> with $\Gamma$	<b>inconsistency</b> of the union $\Gamma$ with $\phi$ added is <i>inconsistent</i>

Note that in this case all sentences involved count as assumptions.

All concepts appearing in the first table can be defined in the same way, as saying that their assumptions cannot be separated from their alternatives. This idea can be stated more specifically in two ways:

NEGATIVE DEFINITION: there is no possible world in which the assumptions (if any) are all true while the alternatives (if any) are all false.

POSITIVE DEFINITION: in each possible world in which the assumptions (if any) are all true, at least one alternative is true.

When there are no assumptions or no alternatives, the corresponding clause may be dropped from the negative form. The same is true for the clause regarding assumptions in the positive form; and, if there are no alternatives, that definition can be restated as: *in each possible world, the assumptions are not all true* (i.e., *at least one is false*).

The following table gives an explicit definition for each of these concepts and also indicates compact notation for the concept.

<i>concept</i>	<i>negative definition</i>	<i>positive definition</i>
$\phi$ is a <i>tautology</i> $\models \phi$	There is no possible world in which $\phi$ is false.	$\phi$ is true in every possible world.
$\phi$ is <i>absurd</i> $\phi \models$	There is no possible world in which $\phi$ is true.	$\phi$ is false in every possible world.
$\phi$ <i>implies</i> $\psi$ $\phi \models \psi$	There is no possible world in which $\phi$ is true and $\psi$ is false.	$\psi$ is true in every possible world in which $\phi$ is true.
$\phi$ and $\psi$ are <i>mutually exclusive</i> $\phi \Delta \psi$	There is no possible world in which $\phi$ and $\psi$ are both true.	In each possible world, at least one of $\phi$ and $\psi$ is false.
$\phi$ and $\psi$ are <i>(jointly) exhaustive</i> $\phi \nabla \psi$	There is no possible world in which $\phi$ and $\psi$ are both false.	In each possible world, at least one of $\phi$ and $\psi$ is true.
$\phi$ and $\psi$ are <i>(logically) equivalent</i> $\phi \simeq \psi$	There is no possible world in which $\phi$ and $\psi$ have different truth values.	In each possible world, $\phi$ and $\psi$ have the same truth value as each other.
$\phi$ and $\psi$ are <i>contradictory</i> $\phi \bowtie \psi$	There is no possible world in which $\phi$ and $\psi$ have the same truth value.	In each possible world, $\phi$ and $\psi$ have opposite truth values.
$\Gamma$ is <i>inconsistent</i> $\Gamma \models$	There is no possible world in which all members of $\Gamma$ are true.	In each possible world, at least one member of $\Gamma$ is false.
$\Gamma$ is <i>exhaustive</i> $\models \Gamma$	There is no possible world in which all members of $\Gamma$ are false.	In each possible world, at least one member of $\Gamma$ is true.
$\Gamma$ <i>entails</i> $\phi$ $\Gamma \models \phi$	There is no possible world in which $\phi$ is false while all members of $\Gamma$ are true.	$\phi$ is true in every possible world in which all members of $\Gamma$ are true.
$\Gamma$ <i>excludes</i> $\phi$ $\Gamma, \phi \models$	There is no possible world in which $\phi$ is true while all members of $\Gamma$ are true.	$\phi$ is false in every possible world in which all members of $\Gamma$ are true.
$\Gamma$ <i>renders</i> $\Sigma$ <i>exhaustive</i> $\Gamma \models \Sigma$	There is no possible world in which all members of $\Gamma$ are true while all members of $\Sigma$ are false.	In each possible world in which all members of $\Gamma$ are true, at least one member of $\Sigma$ is true

All these concepts can be expressed in terms of relative exhaustiveness and also in terms of entailment. To express them in terms of relative exhaustiveness, simply list the assumptions (if any) to the left of  $\models$  and list the alternatives (if any) to its right. The ex-

pression in terms of entailment for the concepts in the first table is shown below.

		<i>alternatives</i>			
		$\Sigma$	$\psi_1, \psi_2$	$\psi$	<i>none</i>
<i>assumptions</i>	$\Gamma$	$\Gamma, \Sigma^{\boxtimes} \vDash \perp$		$\Gamma \vDash \psi$	$\Gamma \vDash \perp$
	$\phi_1, \phi_2$				$\phi_1, \phi_2 \vDash \perp$
	$\phi$			$\phi \vDash \psi$	$\phi \vDash \perp$
	<i>none</i>	$\Sigma^{\boxtimes} \vDash \perp$	$\psi_1^{\boxtimes} \vDash \psi_2$	$\vDash \psi$	

Here  $\theta^{\boxtimes}$  is any sentence contradictory to  $\theta$  (such as its negation); and  $\Sigma^{\boxtimes}$  is any result of replacing each member of  $\Sigma$  by a sentence that is contradictory to it. The joint exhaustiveness of  $\psi_1$  and  $\psi_2$  may also be expressed by  $\psi_2^{\boxtimes} \vDash \psi_1$  and by  $\psi_1^{\boxtimes}, \psi_2^{\boxtimes} \vDash \perp$ . The general rule is that alternatives can be dropped if their contradictories are made assumptions (and vice versa) and that  $\perp$  may used as a conclusion if there are no alternatives already.

Glen Helman 01 Aug 2013

## A.2. Logical forms

*Forms for which there is symbolic notation*

	<i>Symbolic notation</i>	<i>English notation or English reading</i>	
Negation	$\neg \varphi$	<b>not</b> $\varphi$	
Conjunction	$\varphi \wedge \psi$	<b>both</b> $\varphi$ <b>and</b> $\psi$	( $\varphi$ <b>and</b> $\psi$ )
Disjunction	$\varphi \vee \psi$	<b>either</b> $\varphi$ <b>or</b> $\psi$	( $\varphi$ <b>or</b> $\psi$ )
The conditional	$\varphi \rightarrow \psi$ $\psi \leftarrow \varphi$	<b>if</b> $\varphi$ <b>then</b> $\psi$ <b>yes</b> $\psi$ <b>if</b> $\varphi$	( $\varphi$ <b>implies</b> $\psi$ ) ( $\psi$ <b>if</b> $\varphi$ )
Identity	$\tau = \upsilon$	$\tau$ <b>is</b> $\upsilon$	
Predication	$\theta \tau_1 \dots \tau_n$	$\theta$ <b>fits</b> $\tau_1, \dots, \tau_n$	A series of terms $\tau_1, \dots, \tau_n$ can be read ( <b>series</b> ) $\tau_1, \dots, \tau_n$ (using the expression <b>on</b> to distinguish this use of <b>and</b> from its use in conjunction and adding <b>series</b> when necessary to avoid ambiguity)
Compound term	$\gamma \tau_1 \dots \tau_n$	$\gamma$ <b>of</b> $\tau_1, \dots, \tau_n$ $\gamma$ <b>applied to</b> $\tau_1, \dots, \tau_n$	
Predicate abstract	$[\varphi]_{x_1 \dots x_n}$	<b>what</b> $\varphi$ <b>says of</b> $x_1 \dots x_n$	
Functor abstract	$[\tau]_{x_1 \dots x_n}$	$\tau$ <b>for</b> $x_1 \dots x_n$	
Universal quantification	$\forall x \theta x$	<b>forall</b> $x$ $\theta x$ <b>everything, x, is such that</b> $\theta x$	
Restricted universal	$(\forall x: \rho x) \theta x$	<b>forall</b> $x$ <b>st</b> $\rho x$ $\theta x$ <b>everything, x, such that</b> $\rho x$ <b>is such that</b> $\theta x$	
Existential quantification	$\exists x \theta x$	<b>forsome</b> $x$ $\theta x$ <b>something, x, is such that</b> $\theta x$	
Restricted existential	$(\exists x: \rho x) \theta x$	<b>forsome</b> $x$ <b>st</b> $\rho x$ $\theta x$ <b>something, x, such that</b> $\rho x$ <b>is such that</b> $\theta x$	
Definite description	$!x \rho x$	<b>the</b> $x$ <b>st</b> $\rho x$ <b>the thing, x, such that</b> $\rho x$	

*Some paraphrases of other forms*

*Truth-functional compounds*

<b>neither</b> $\varphi$ <b>nor</b> $\psi$	$\neg (\varphi \vee \psi)$
	$\neg \varphi \wedge \neg \psi$

$\psi$  only if  $\phi$   $\neg \psi \leftarrow \neg \phi$

---

$\psi$  unless  $\phi$   $\psi \leftarrow \neg \phi$

---

*Generalizations*

---

All Cs are such that ( ... they ... )  $(\forall x: x \text{ is } a C) \dots x \dots$

---

No Cs are such that ( ... they ... )  $(\forall x: x \text{ is } a C) \neg \dots x \dots$

---

Only Cs are such that ( ... they ... )  $(\forall x: \neg x \text{ is } a C) \neg \dots x \dots$

---

with: among Bs add to the restriction: x is a B

except Es  $\neg x \text{ is an E}$

other than  $\tau$   $\neg x = \tau$

---

*Numerical quantifier phrases*

---

At least 1 C is such that ( ... it ... )  $(\exists x: x \text{ is } a C) \dots x \dots$

---

At least 2 Cs are such that ( ... they ... )  $(\exists x: x \text{ is } a C) (\exists y: y \text{ is } a C \wedge \neg y = x) (\dots x \dots \wedge \dots y \dots)$

---

Exactly 1 C is such that ( ... it ... )  $(\exists x: x \text{ is } a C) (\dots x \dots \wedge (\forall y: y \text{ is } a C \wedge \neg y = x) \neg \dots y \dots)$   
or  
 $(\exists x: x \text{ is } a C) (\dots x \dots \wedge (\forall y: y \text{ is } a C \wedge \dots y \dots) x = y)$

---

*Definite descriptions (on Russell's analysis)*

---

The C is such that ( ... it ... )  $(\exists x: x \text{ is } a C \wedge (\forall y: \neg y = x) \neg y \text{ is } a C) \dots x \dots$   
or  
 $(\exists x: x \text{ is } a C \wedge (\forall y: y \text{ is } a C) x = y) \dots x \dots$

---

### A.3. Truth tables

*Tautology*

$\top$
$\top$

*Absurdity*

$\perp$
$\text{F}$

*Negation*

$\phi$	$\neg \phi$
$\text{T}$	$\text{F}$
$\text{F}$	$\text{T}$

*Conjunction*

$\phi$	$\psi$	$\phi \wedge \psi$
$\text{T}$	$\text{T}$	$\text{T}$
$\text{T}$	$\text{F}$	$\text{F}$
$\text{F}$	$\text{T}$	$\text{F}$
$\text{F}$	$\text{F}$	$\text{F}$

*Disjunction*

$\phi$	$\psi$	$\phi \vee \psi$
$\text{T}$	$\text{T}$	$\text{T}$
$\text{T}$	$\text{F}$	$\text{T}$
$\text{F}$	$\text{T}$	$\text{T}$
$\text{F}$	$\text{F}$	$\text{F}$

*Conditional*

$\phi$	$\psi$	$\phi \rightarrow \psi$
$\text{T}$	$\text{T}$	$\text{T}$
$\text{T}$	$\text{F}$	$\text{F}$
$\text{F}$	$\text{T}$	$\text{T}$
$\text{F}$	$\text{F}$	$\text{T}$

Glen Helman 01 Aug 2013

## A.4. Derivation rules

### Basic system

Rules for developing gaps		
logical form	as a resource	as a goal
atomic sentence		IP
negation $\neg \varphi$ (if $\varphi$ not atomic & goal is $\perp$ )	CR	RAA
conjunction $\varphi \wedge \psi$	Ext	Cnj
disjunction $\varphi \vee \psi$	PC	PE
conditional $\varphi \rightarrow \psi$ (if goal is $\perp$ )	RC	CP
universal $\forall x \theta x$	UI	UG
existential $\exists x \theta x$	PCh	NcP

Rules for closing gaps			
when to close			rule
co-aliases	resources	goal	
	$\varphi$	$\varphi$	QED
	$\varphi$ and $\neg \varphi$	$\perp$	Nc
		$\top$	ENV
		$\perp$	EFQ
	$\tau \multimap \nu$	$\tau = \nu$	EC
	$\tau \multimap \nu$	$\neg \tau = \nu$	$\perp$ DC
$\tau_1 \multimap \nu_1, \dots, \tau_n \multimap \nu_n$	$P\tau_1 \dots \tau_n$	$P\nu_1 \dots \nu_n$	QED=
$\tau_1 \multimap \nu_1, \dots, \tau_n \multimap \nu_n$	$P\tau_1 \dots \tau_n$	$\perp$	Nc=
		$\neg P\nu_1 \dots \nu_n$	

In addition, if the conditions for applying a rule are met except for differences between co-aliases, then the rule can be applied and is notated by adding "="; QED= and Nc= are examples of this.

Detachment rules (optional)		
required resources		rule
main	auxiliary	
$\varphi \rightarrow \psi$	$\varphi$	MPP
	$\neg^{\pm} \psi$	MTT
$\varphi \vee \psi$	$\neg^{\pm} \varphi$ or $\neg^{\pm} \psi$	MTP
$\neg(\varphi \wedge \psi)$	$\varphi$ or $\psi$	MPT

### Additional rules (not guaranteed to be progressive)

Attachment rules	
added resource	rule
$\varphi \wedge \psi$	Adj
$\varphi \rightarrow \psi$	Wk
$\varphi \vee \psi$	Wk
$\neg(\varphi \wedge \psi)$	Wk
$\tau = \nu$	CE
$\theta \nu_1 \dots \nu_n$	Cng
$\exists x \theta x$	EG


Rule for lemmas	
prerequisite	rule
the goal is $\perp$	LFR




# Diagrams

Rules from chapter 2


Extraction (Ext)




Conjunction (Cnj)




*Quod Erat Demonstrandum* (QED)




*Ex Nihilo Verum* (ENV)




*Ex Falso Quodlibet* (EFQ)




Adjunction (Adj)




Lemma for *Reductio* (LFR)




Indirect Proof (IP)




Completing the *Reductio* (CR)




*Reductio ad Absurdum* (RAA)




Non-contradiction (Nc)



Proof by Cases (PC)



Proof of Exhaustion (PE)



*Modus Tollendo Ponens (MTP)*

$$\left| \begin{array}{l} \neg^{\pm} \varphi \text{ [available]} \\ \dots \\ \varphi \vee \psi \\ \dots \\ \hline \chi \\ \dots \end{array} \right. \xrightarrow{n \text{ MTP}} \left| \begin{array}{l} \neg^{\pm} \varphi \quad (n) \\ \dots \\ \varphi \vee \psi \quad n \\ \dots \\ \hline \psi \\ \hline \chi \\ \dots \end{array} \right.$$

$$\left| \begin{array}{l} \neg^{\pm} \psi \text{ [available]} \\ \dots \\ \varphi \vee \psi \\ \dots \\ \hline \chi \\ \dots \end{array} \right. \xrightarrow{n \text{ MTP}} \left| \begin{array}{l} \neg^{\pm} \psi \quad (n) \\ \dots \\ \varphi \vee \psi \quad n \\ \dots \\ \hline \varphi \\ \hline \chi \\ \dots \end{array} \right.$$

*Modus Ponendo Tollens (MPT)*

$$\left| \begin{array}{l} \varphi \text{ [available]} \\ \dots \\ \neg (\varphi \wedge \psi) \\ \dots \\ \hline \theta \\ \dots \end{array} \right. \xrightarrow{n \text{ MPT}} \left| \begin{array}{l} \varphi \quad (n) \\ \dots \\ \neg (\varphi \wedge \psi) \quad n \\ \dots \\ \hline \neg^{\pm} \psi \\ \hline \theta \\ \dots \end{array} \right.$$

$$\left| \begin{array}{l} \psi \text{ [available]} \\ \dots \\ \neg (\varphi \wedge \psi) \\ \dots \\ \hline \theta \\ \dots \end{array} \right. \xrightarrow{n \text{ MPT}} \left| \begin{array}{l} \psi \quad (n) \\ \dots \\ \neg (\varphi \wedge \psi) \quad n \\ \dots \\ \hline \neg^{\pm} \varphi \\ \hline \theta \\ \dots \end{array} \right.$$

Weakening (Wk)

$$\begin{array}{c}
 \dots \\
 \varphi \text{ [available]} \\
 \dots \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}
 \longrightarrow
 n \text{ Wk}
 \begin{array}{c}
 \dots \\
 \varphi \quad (n) \\
 \dots \\
 \varphi \vee \psi \quad X \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}$$


$$\begin{array}{c}
 \dots \\
 \psi \text{ [available]} \\
 \dots \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}
 \longrightarrow
 n \text{ Wk}
 \begin{array}{c}
 \dots \\
 \psi \quad (n) \\
 \dots \\
 \varphi \vee \psi \quad X \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}$$

Weakening (Wk)


$$\begin{array}{c}
 \dots \\
 \neg^{\pm} \varphi \text{ [available]} \\
 \dots \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}
 \longrightarrow
 n \text{ Wk}
 \begin{array}{c}
 \dots \\
 \neg^{\pm} \varphi \quad (n) \\
 \dots \\
 \neg (\varphi \wedge \psi) \quad X \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}$$

$$\begin{array}{c}
 \dots \\
 \neg^{\pm} \psi \text{ [available]} \\
 \dots \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}
 \longrightarrow
 n \text{ Wk}
 \begin{array}{c}
 \dots \\
 \neg^{\pm} \psi \quad (n) \\
 \dots \\
 \neg (\varphi \wedge \psi) \quad X \\
 \vdots \\
 \hline
 \theta \\
 \dots
 \end{array}$$


Rejecting a Conditional (RC)



Conditional Proof (CP)



Modus Ponendo Ponens (MPP)



*Modus Tollendo Tollens (MTT)*

$$\left| \begin{array}{c} \neg^\pm \psi \text{ [available]} \\ \dots \\ \varphi \rightarrow \psi \\ \dots \\ \hline \theta \\ \dots \end{array} \right. \longrightarrow n \text{ MTT} \left| \begin{array}{c} \neg^\pm \psi \quad (n) \\ \dots \\ \varphi \rightarrow \psi \quad n \\ \dots \\ \hline \neg^\pm \varphi \\ \hline \theta \\ \dots \end{array} \right.$$

*Weakening (Wk)*

$$\left| \begin{array}{c} \psi \text{ [available]} \\ \dots \\ \hline \theta \\ \dots \end{array} \right. \longrightarrow n \text{ Wk} \left| \begin{array}{c} \psi \quad (n) \\ \dots \\ \hline \varphi \rightarrow \psi \quad X \\ \hline \theta \\ \dots \end{array} \right.$$

*Weakening (Wk)*

$$\left| \begin{array}{c} \neg^\pm \varphi \text{ [available]} \\ \dots \\ \hline \theta \\ \dots \end{array} \right. \longrightarrow n \text{ Wk} \left| \begin{array}{c} \neg^\pm \varphi \quad (n) \\ \dots \\ \hline \varphi \rightarrow \psi \quad X \\ \hline \theta \\ \dots \end{array} \right.$$


*Rules from chapter 6*

*Equated Co-aliases (EC)*


$$\left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \text{ are co-aliases}] \\ \dots \\ \hline \tau = \upsilon \\ \dots \end{array} \right. \longrightarrow n \text{ EC} \left| \begin{array}{c} \dots \\ [\tau \text{ and } \upsilon \text{ are co-aliases}] \\ \dots \\ \bullet \\ \hline \tau = \upsilon \\ \dots \end{array} \right.$$



### Distinguished Co-aliases (DC)




### QED given equations (QED=)



*Note:* Two series of terms are co-alias series when their corresponding members are co-aliases.

### Non-contradiction given equations (Nc=)



*Note:* Two series of terms are co-alias series when their corresponding members are co-aliases.

### Co-alias Equation (CE)

$$\left| \begin{array}{c} \dots \\ [\tau \text{ and } v \\ \text{are co-aliases}] \\ \dots \\ \dots \\ \hline \varphi \\ \dots \end{array} \right. \longrightarrow n \text{ CE} \left| \begin{array}{c} \dots \\ [\tau \text{ and } v \\ \text{are co-aliases}] \\ \dots \\ \dots \\ \tau = v \\ \hline \varphi \\ \dots \end{array} \right. \quad \text{X}$$

### Congruence (Cng)

$$\left| \begin{array}{c} \dots \\ [\tau_1 \dots \tau_n \text{ and } v_1 \dots v_n \\ \text{are co-alias series}] \\ \dots \\ \theta \tau_1 \dots \tau_n \\ \dots \\ \dots \\ \hline \varphi \\ \dots \end{array} \right. \longrightarrow n \text{ Cng} \left| \begin{array}{c} \dots \\ [\tau_1 \dots \tau_n \text{ and } v_1 \dots v_n \\ \text{are co-alias series}] \\ \dots \\ \theta \tau_1 \dots \tau_n \quad (n) \\ \dots \\ \dots \\ \theta v_1 \dots v_n \\ \hline \varphi \\ \dots \end{array} \right. \quad \text{X}$$

Note:  $\theta$  can be an abstract, so  $\theta \tau_1 \dots \tau_n$  and  $\theta v_1 \dots v_n$  are any formulas that differ only in the occurrence of terms and in which the corresponding terms are co-aliases.

Rules from chapter 7


### Universal Instantiation (UI)

$$\left| \begin{array}{c} \dots \\ \forall x \dots x \dots \\ \dots \\ \dots \\ \hline \varphi \\ \dots \end{array} \right. \longrightarrow n \text{ UI} \left| \begin{array}{c} \dots \\ \forall x \dots x \dots \quad \tau:n \\ \dots \\ \dots \\ \dots \\ \tau \dots \\ \hline \varphi \\ \dots \end{array} \right.$$


### Universal Generalization (UG)

$$\left| \begin{array}{c} \dots \\ \dots \\ \dots \\ \hline \forall x \dots x \dots \\ \dots \end{array} \right. \longrightarrow n \text{ UG} \left| \begin{array}{c} \dots \\ \dots \\ \dots \\ \textcircled{a} \\ \vdots \\ \dots a \dots \quad n \\ \hline \forall x \dots x \dots \\ \dots \end{array} \right.$$

Proof by Choice (PCh)



Non-constructive Proof (NcP)



Existential Generalization (EG)

